



DESIGN REPORT OF GHS LABEL

No.: 260106320158684E

Date: Apr.10,2026



Name of the sample	Integrated Liquid Cooling Ess JS-Y261		
Applicant	Jiangmen Jeeseng Energy Co.,Ltd.		
Supplier	Jiangmen Jeeseng Energy Co.,Ltd.		
Composition of the sample	Phosphoric acid,iron(2+) lithium salt (1:1:1) : 34%~40% ; Polyvinylidene Fluoride: 1%~2%; Aluminum: 10%~12%; Graphite: 17%~20% ; Styrene Butadiene Rubber(SBR) : 0.2%~0.5% ; Carboxymethylcellulose : 0.1%~0.5% ; Copper : 5%~8% ; Phosphate(1-).hexafluoro,lithium: 7%~8% ; Dimethyl carbonate: 1%~9% ; Ethylene carbonate(EC): 1%~9% ; Ethyl methyl carbonate: 1%~9% ; Polyethylene: 2%~4%		
Warranty of Design	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS) Eleventh revised edition		
Design Result of GHS please see next page.			
Designer		Approver	For and on behalf of CCIC JIANGSU CO., LTD. 中国检验认证集团江苏有限公司

4 授权签字人 Authorized Signature (s)

Notes: This label is valid before the implementation of the twelfth revised edition GHS.

Test is Located on: CCIC Dangerous Goods Identification Center (47 Qingyang North Road, Tianning District, Changzhou, China)
Tel: +86-519-83277160

Tel: 0519-83277160

Company: China Certification & Inspection

Group Jiangsu Co., Ltd.

Warranty of Design: GHS (Eleventh Revised Edition)

GHS LABEL

No.: 260106320158684E

Date: Apr.10,2026

Integrated Liquid Cooling Ess JS-Y261 (832V, 314Ah,261kWh)

Component(s):

Phosphoric acid,iron(2+) lithium salt (1:1:1): 34%~40%;
Polyvinylidene Fluoride: 1%~2%; Aluminum: 10%~12%;
Graphite: 17%~20%; Styrene Butadiene Rubber(SBR):
0.2%~0.5%; Carboxymethylcellulose : 0.1%~0.5%;
Copper: 5%~8%; Phosphate(1-).hexafluoro.lithium:
7%~8%; Dimethyl carbonate : 1%~9%; Ethylene
carbonate(EC): 1%~9%; Ethyl methyl carbonate :
1%~9%; Polyethylene: 2%~4%

No Signal

word

No Hazard pictograms

UN No.:3480

UN Shipping Name:

LITHIUM ION BATTERIES(including
lithium ion polymer batteries)

This product meets the definition of an article. Under the Globally Harmonized System of Classification and Labeling of Chemicals (GHS), "Articles" as defined in the Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America, or by similar definition, are outside the scope of the system. [Rev.11 (2025) Part 1.3.2.1.1]

[Prevention]

Do not open or disassemble.

Do not expose to high temperatures or open fire.

Do not mix with batteries of varying sizes, chemistries or types.

Avoid using external impact battery.

[Response]

Not applicable

[Storage]

Store under roof in cool, dry, well-ventilated areas.

[Disposal]

Dispose of contents/container in accordance with local/regional/national/ international regulations.

Please refer to Safety Data Sheet (SDS)

Supplier: Jiangmen Jeeseng Energy Co.,Ltd.

Tel: +86-19865849196

Address: 3rd & 4th Floors, Self-compiled Building 2, No. 93 Jiangwan

Road, Huicheng, Xinhui District, Jiangmen City,Guangdong Province,**Post code:** ——
China

Chemical accident emergency call: +86-19865849196



Terms of the Using of the Report

1. The report is issued by CCIC according to the information of the chemicals and the information of its shipping provided by the applicant (shipper or his agent).
2. According to the demand of this Label, CCIC requires the applicant to provide true and exact sample and data.
3. Information from applicant is the key of this Label, so the center will not respond for the wrong of applicant.
4. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
5. This report will be effective only after it is signed by the inspector, approver and stamped by CCIC.
6. CCIC guarantees the objectivity and fairness of this report, and carries out confidentiality obligations on business secrets such as business information, technical documents and so on.
7. The partly duplicating of this report is prohibited without the written approver of CCIC.
8. The report is invalid when anything of the following happens-illegal transfer, embezzlement, imposture, modification or tampering in any media form.
9. The authenticity of the certificate can be checked by scan the security code of this certificate.



Test is Located on : CCIC Dangerous Goods Identification Center (47 Qingyang North Road, Tianning District, Changzhou, China)

Tel : +86-519-83277160